## DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# Fenamiphos 400EC

Nematicide and Insecticide

ACTIVE CONSTITUENT: 400 g/L FENAMIPHOS (An Anticholinesterase Compound)

GROUP

1B

INSECTICIDE

Contents: 20L

For control of nematodes and sucking insects in crops and turf as specified in the Directions for Use Table.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USING THIS PRODUCT

Sabakem Pty Ltd ACN 151 682 138 Level 1, 327-333 Police Road, Mulgrave, VIC 3170 Tel: 0448 888 960

www.sabakem.com

#### STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse container before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### **SAFETY DIRECTIONS**

Poisonous if swallowed. May irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Will damage eyes and skin. Will irritate the nose and throat. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. Obtain an emergency supply of atropine tablets 0.6 mg. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water.

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26. If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs. If poisoned by skin absorption or through lungs, remove contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

#### **MATERIAL SAFETY DATA SHEET**

If additional hazard information is required refer to the Material Safety Data Sheet.

#### **CONDITIONS OF SALE**

The use of this product is beyond the control of Sabakem Pty Ltd. No warranty is expressed or implied regarding the suitability or efficiency for any purpose for which it is used by the buyer. Sabakem Pty Ltd accepts no responsibility for any consequences resulting from the use of this product. Sabakem Pty Ltd will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

For specialist advice in an emergency dial 1800 638 556 24 hours Australia wide.

Batch No:

DOM:

APVMA Approval No: 69146/60077

<sup>®</sup>Sabakem is the registered trade mark of Sabakem Pty Ltd





# ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, N.O.S. (Fenamiphos)

**UN No. 3018** 

PG II

### **HAZCHEM 2X**

IN TRANSPORT
EMERGENCY
DIAL: 000
POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN EMERGENCY ONLY 1800 638 556 ALLHOURS-AUSTRALIAWIDE