

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



# Metaldehyde®

Snail and Slug Pellets

**ACTIVE CONSTITUENT: 15 g/kg METALDEHYDE**

**For the control of slugs and snails in agricultural and horticultural crops, vineyards and other agricultural, industrial & commercial situations where snails and slugs congregate.**

**Sabakem Pty Ltd** ABN 34 151 682 138  
Suite 809, Level 8, 2 Queen Street, Melbourne VIC 3000  
Tel: 03 9629 3979 • Fax: 1300 242 436

**Net Contents: 25kg**

#### DIRECTION FOR USE

**RESTRAINTS: DO NOT** heap pellets.

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Agricultural Crops</b> Cereals, oilseeds (including poppies)	Snails and Slugs including: Common White Snail ( <i>Ceruella virgata</i> )	10 kg/ha	Broadcast pellets evenly over the surface of the ground where snails and slugs are active. Brown field slug mortality may be delayed, requiring longer feeding times.
<b>Horticultural Crops</b> Fruit (including grapevines), vegetables	White Italian Snail ( <i>Theba pisana</i> )		
Pulses, Pasture establishment	Conical Snail ( <i>Cochlicella acuta</i> ) Grey Field Slug ( <i>Deroceras reticulatum</i> ) Brown Field Slug ( <i>Deroceras invadens</i> ) (excludes Small Brown Snails)		
Other agricultural, industrial & commercial situations where snails and slugs congregate			Broadcast pellets evenly over the surface of the ground where snails and slugs are active.
Around crops and/or border areas where slugs and snails congregate	Slugs, Snails	50 g/m <sup>2</sup>	Scatter the pellets around the area to be protected and/or where slugs and snails congregate. Spread pellets evenly.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

#### WITHHOLDING PERIODS:

##### HARVEST

**FRUIT AND VEGETABLES: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.**

**PULSES, OILSEEDS, WINTER CEREALS: NOT REQUIRED WHEN USED AS DIRECTED.**

##### GRAZING

**PASTURES, PULSES, OILSEEDS, WINTER CEREALS: DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 5 WEEKS AFTER APPLICATION.**

#### GENERAL INSTRUCTIONS

Scatter pellets using an appropriate applicator. Where attack is heavy it may be necessary to repeat the application. The best time to apply is immediately after rain or during humid overcast weather when slugs and snails are most active. The pellets eventually decompose leaving no harmful residue. Use regularly to control reinfestation.

#### TIMING

The best time to apply is immediately after rain, or during humid overcast weather when slugs and snails are most active. For broadacre crops, start when rain/moisture triggers snail activity in Autumn and before significant egg laying.

#### PRECAUTION

DO NOT apply to edible plant parts.  
DO NOT graze or cut for stockfeed any crops while Sabakem Metaldehyde® Snail and Slug Pellets are visible on the plant foliage.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

#### PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets, as accidental poisoning may be fatal. Dogs and other animals find this bait attractive and it may kill them. If pets or livestock are poisoned contact a veterinary surgeon.

#### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Shake and empty contents into applicator equipment. DO NOT dispose of unused product on site. Break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

#### SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

#### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which is available from the supplier.

**CONDITIONS OF SALE:** The use of this product is beyond the control of Sabakem Pty Ltd. No warranty is expressed or implied regarding the suitability or efficiency for any purpose for which it is used by the buyer. Sabakem Pty Ltd accepts no responsibility for any consequences resulting from the use of this product. Sabakem Pty Ltd will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: None.

® Registered trademark of Sabakem Pty Ltd  
APVMA Approval No: 86284 / 115239

**In a Transport Emergency  
DIAL 000  
POLICE OR FIRE BRIGADE**

For specialist advice in an  
emergency dial  
**1800 033 111**  
24 hours Australia wide



3 475 661 26751

25\_0618

DOM:  
Batch

[www.sabakem.com](http://www.sabakem.com)