

Product Name: Sabakem Wetter 1000  
APVMA Approval No: 94538/142721



Label Name:	Sabakem Wetter 1000
Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENT: 1000 g/L NONIONIC ALCOHOL ETHOXYLATES
Mode of Action:	
Statement of Claims:	A NON-IONIC 100% WETTING AGENT, FOR THE IMPROVEMENT OF SPRAY COVERAGE WHEN USING AGRICULTURAL CHEMICALS
Net Contents:	CONTENTS: 20 L - 1000 L
Restraints:	
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	
General Instructions:	GENERAL INSTRUCTIONS

	<p>NOTE: Where product labels recommend the addition of a non-ionic wetting agent as a percentage (%) dilution, add 100 mL Sabakem Wetter 1000 per 100 litres of spray mixture to give 0.1%, 250 mL to give 0.25% or other rates as required using these examples.</p> <p>MIXING</p> <p>For wettable powders and water soluble products, add Sabakem Wetter 1000 in water before adding the agricultural chemical to the spray tank. For emulsifiable products, add Sabakem Wetter 1000 after a good emulsion is formed.</p>
--	--

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>Harmful to fish. DO NOT contaminate ponds, streams, rivers and watercourses with chemical or used containers.</p>
--------------	---

Storage and Disposal:	<p>STORAGE AND DISPOSAL</p> <p>KEEP OUT OF REACH OF CHILDREN.</p> <p>Store in the closed, original container in a well-ventilated area away from food, drink and stock food. Do not store for prolonged periods in direct sunlight. Store away from oxidising agents. DO NOT re-use container.</p> <p>Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>Refillable containers: Empty contents fully into application equipment, close all valves and return to point of supply for refill or storage.</p>
-----------------------	--

Safety Directions:	<p>SAFETY DIRECTIONS</p> <p>Avoid contact with eyes and skin. When using or preparing product for use, wear overalls, PVC/rubber gloves, goggles and safety shoes. After use and before eating, drinking or smoking wash hands.</p>
--------------------	---

First Aid Instructions:	<p>FIRST AID</p> <p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.</p>
-------------------------	--

--	--

First Aid Warnings:	
---------------------	--

## DIRECTIONS FOR USE

Sabakem Wetter 1000 can be used where the addition of a surfactant is required or recommended on the agricultural chemical label. Variations in conditions of use can require some changes in the amount of Sabakem Wetter 1000.

SITUATION	RATE/100L	CRITICAL COMMENTS
<b>Non-Selective Herbicides</b> FOLIAR ACTIVE	25-100 mL	Use the higher rate on waxy, hairy or hard to wet surfaces. Increase rate for dry soils.
<b>Selective Herbicides</b> IN CROP USE	25-100 mL	Use when a surfactant is recommended on herbicide labels. Use the higher rate on waxy, hairy or hard to wet surfaces.
<b>Soil Residual Herbicides</b>	100-400 mL	When applied with soil residual herbicides to standing weeds, add Sabakem Wetter 1000 to thoroughly wet foliage. Consult product labels for individual recommendations.
<b>Horticulture</b> INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS	40-100 mL	Vary rate according to volume and nature of the target. Use only when recommended on product labels.
<b>Paraquat and diquat Herbicides</b> Important when grasses are the major target	25-100 mL	Vary rate according to spray volume. Select rate in accordance with product labels.
<b>Pasture Topping</b> For use with Glyphosate CT	125 mL	
<b>Watering of Turf and Dust Abatement</b> As additive to water	40-100 mL	Use the higher rate when watering turf.
<b>Fire Fighting</b> Water tanker Knapsack	5 mL/100 L 2 mL/15 L	In the field Sabakem Wetter 1000 has the advantage of less weight to carry compared with less concentrated surfactants and of being non-flammable. It increases the wetting power of water which assists in quick control and mopping up of fires. It is of particular value where water may not be readily available, where a less drenching spray is needed, and a tank full will cover a bigger area.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**