

**Section 1 - Identification of The Material and Supplier**

**Sabakem Pty Ltd**  
**Suite 809, Level 8, 2 Queen Street**  
**Melbourne VIC 3000 AUSTRALIA**

**Phone: 1800 638 556 (all hours)**

[www.sabakem.com](http://www.sabakem.com)

**Emergency: 1800 033 111**

**Chemical nature:** Water dispersible granule containing mancozeb  
**Trade Name:** **Sabakem Mancozeb 750 WG Fungicide**  
**APVMA Code:** 86466  
**Product Use:** Agricultural fungicide for use as described on the product label.  
**Creation Date:** **August, 2018**  
**This version issued:** **September, 2023** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

**Section 2 - Hazards Identification****Statement of Hazardous Nature**

**SUSMP Classification:** S5

**ADG Classification:** Class 9: Miscellaneous Dangerous Goods.

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**GHS Signal word: DANGER**

Skin Sensitisation Category 1  
Carcinogenicity – category 2  
Reproductive Toxicity Category 1B  
Specific target organ toxicity (repeated exposure) – category 2  
Hazardous to aquatic environment (chronic) - Category 1

**HAZARD STATEMENT:**

H317: May cause an allergic skin reaction.  
H351: Suspected of causing cancer.  
H360: May damage the unborn child.  
H373: May cause damage to the thyroid and nervous system through prolonged or repeated exposure.  
H410: Very toxic to aquatic life with long lasting effects.

**PREVENTION**

P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P261: Avoid breathing dusts.  
P262: Do not get in eyes, on skin, or on clothing.  
P264: Wash contacted areas thoroughly after handling.  
P272: Contaminated work clothing should not be allowed out of the workplace.  
P273: Avoid release to the environment.  
P280: Wear protective gloves, protective clothing and eye or face protection.

**RESPONSE**

P363: Wash contaminated clothing before reuse.  
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P308+P313: If exposed or concerned: Get medical advice.  
P333+P313: If skin irritation or rash occurs: Get medical advice.

**STORAGE**

P405: Store locked up.  
P410: Protect from sunlight.  
P402+P404: Store in a dry place. Store in a closed container.  
P403+P235: Store in a well-ventilated place. Keep cool.

**SAFETY DATA SHEET**

**DISPOSAL**

P501: Dispose of contents and containers as specified on the registered label.

**Emergency Overview**

**Physical Description & Colour:** Solid granules, no data regarding colour.

**Odour:** No data.

**Major Health Hazards:** Mancozeb is practically nontoxic orally with reported oral LD<sub>50</sub> of more than 5000 to more than 11,200 mg/kg in rats. Dermal it is also practically nontoxic, with reported dermal LD<sub>50</sub> values of more than 10,000 mg/kg in rats, and more than 5000 mg/kg in rabbits. It is a mild skin irritant and sensitizer, and a mild to moderate eye irritant in rabbits. Workers with occupational exposure to Mancozeb have developed sensitization rashes. Possible skin sensitizer, may damage the unborn child, may damage thyroid/nervous system through prolonged/repeated exposure, suspected carcinogen.

**Section 3 - Composition/Information on Ingredients**

Ingredients	CAS No	Conc, g/kg	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Mancozeb	8018-01-7	750	not set	not set
Other non hazardous ingredients	secret	to 1 kg	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**Section 4 - First Aid Measures****General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently brush away excess particles. Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

**Section 5 - Fire Fighting Measures**

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Not combustible. Use extinguishing media suited to burning materials.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

**Flammability Class:** No data.

**Section 6 - Accidental Release Measures**

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include cotton, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable dust mask.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers

**SAFETY DATA SHEET**

wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**. Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Mancozeb is set at 0.006mg/kg/day. The corresponding NOEL is set at 0.6mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, March 2017.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: cotton, PVC.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

## Section 9 - Physical and Chemical Properties:

<b>Physical Description &amp; colour:</b>	Solid granules, no data regarding colour.
<b>Odour:</b>	No data.
<b>Boiling Point:</b>	Not available.
<b>Flash point:</b>	Not flammable.
<b>Upper Flammability Limit:</b>	No data.
<b>Lower Flammability Limit:</b>	No data.
<b>Autoignition temperature:</b>	No data.
<b>Freezing/Melting Point:</b>	No specific data. Solid at normal temperatures.
<b>Volatiles:</b>	No data.
<b>Vapour Pressure:</b>	No data.
<b>Vapour Density:</b>	Not applicable.
<b>Specific Gravity:</b>	No data.
<b>Water Solubility:</b>	Dispersible.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.

## SAFETY DATA SHEET

Evaporation Rate:	Not applicable.
Coeff Oil/water Distribution:	No data
Particle Characteristics:	Granules.
Autoignition temp:	No data.

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** strong acids, strong bases, strong oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## Section 11 - Toxicological Information

**Toxicity:** An information profile for Mancozeb is available at <http://extoxnet.orst.edu/pips/ghindex.html>

**Acute toxicity:** Mancozeb is practically nontoxic orally with reported oral LD<sub>50</sub> of more than 5000 to more than 11,200 mg/kg in rats. Dermal it is also practically nontoxic, with reported dermal LD<sub>50</sub> values of more than 10,000 mg/kg in rats, and more than 5000 mg/kg in rabbits. It is a mild skin irritant and sensitizer, and a mild to moderate eye irritant in rabbits. Workers with occupational exposure to Mancozeb have developed sensitization rashes.

**Chronic toxicity:** No toxicological effects were apparent in rats fed dietary doses of 5 mg/kg/day in a long-term study. Impaired thyroid function was observed as lower iodine uptake after 24 months in dogs fed doses of 2.5 and 25 mg/kg/day of Mancozeb, but not in those dogs fed 0.625 mg/kg/day. A major toxicological concern in situations of chronic exposure is the generation of ethylenethiourea (ETU) in the course of Mancozeb metabolism, and as a contaminant in Mancozeb production. ETU may also be produced when EBDCs are used on stored produce, or during cooking. In addition to having the potential to cause goitre, a condition in which the thyroid gland is enlarged, this metabolite has produced birth defects and cancer in experimental animals.

**Reproductive effects:** In a three-generation rat study with Mancozeb at a dietary level of 50 mg/kg/day there was reduced fertility but no indication of embryotoxic effects. It is unlikely that Mancozeb will produce reproductive effects in humans under normal circumstances.

**Teratogenic effects:** No teratogenic effects were observed in a three-generation rat study with Mancozeb at a dietary level of 50 mg/kg/day. Developmental abnormalities of the body wall, central nervous system, eye, ear, and musculoskeletal system were observed in experimental rats which were given a very high dose of 1320 mg/kg of Mancozeb on the 11th day of pregnancy. In view of the conflicting evidence, the teratogenicity of Mancozeb is properly known.

**Mutagenic effects:** Mancozeb was found to be mutagenic in one set of tests, while in another it did not cause mutations. Mancozeb is thought to be similar to Maneb, which was not mutagenic in the Ames Test. Data regarding the mutagenicity are inconclusive but suggest that Mancozeb is either not mutagenic or weakly mutagenic.

**Carcinogenic effects:** No data are available regarding the carcinogenic effects of Mancozeb. While studies of other EBDCs indicate they are not carcinogenic, ETU (a Mancozeb metabolite), has caused cancer in experimental animals at high doses. Thus, the carcinogenic potential of Mancozeb is not currently known.

**Organ toxicity:** The main target organ of Mancozeb is the thyroid gland; the effects may be due to the metabolite ETU.

**Fate in humans and animals:** Mancozeb is rapidly absorbed into the body from the gastrointestinal tract, distributed to various target organs, and almost completely excreted in 96 hours. ETU is the major Mancozeb metabolite of toxicological significance, with carbon disulfide as a minor metabolite.

Mancozeb is a SWA Class 3 Reproductive risk, possible risk of harm to the unborn child.

Mancozeb is classed by SWA as a potential sensitiser by skin contact.

## Classification of Hazardous Ingredients

Ingredient	Health Hazard Statement Codes
Mancozeb	H351, H360D, H373, H317, H410
• Carcinogenicity – category 2	

## SAFETY DATA SHEET



- Reproductive toxicity – category 1B
- Specific target organ toxicity (repeated exposure) – category 2
- Skin sensitisation – category 1
- Hazardous to the aquatic environment (acute) – category 1
- Hazardous to the aquatic environment (chronic) – category 1

## Potential Health Effects

**Persons sensitised to mancozeb should avoid contact with this product.**

### Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

### Skin Contact:

**Short Term Exposure:** Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

### Eye Contact:

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is not harmful. This product is unlikely to cause any irritation problems in the short or long term.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

## Section 12 - Ecological Information

This product is very toxic to aquatic organisms with long lasting effects.

**Effects on birds:** Mancozeb is not harmful to birds, with reported -day dietary LC<sub>50</sub> values in bobwhite quail and mallard ducklings of greater than 10,000 ppm. The 10-day dietary LC<sub>50</sub> values of 6400 ppm and 3200 ppm are reported for mallard ducks and Japanese quail, respectively.

**Effects on aquatic organisms:** Mancozeb is moderately to highly toxic to fish and aquatic organisms.

**Effects on other organisms:** Mancozeb is not toxic to honeybees.

### Environmental Fate:

**Breakdown in soil and groundwater:** Mancozeb is of low soil persistence, with a reported field half-life of 1 to 7 days. Mancozeb rapidly and spontaneously degrades to ETU in the presence of water and oxygen. ETU may persist for longer, on the order of 5 to 10 weeks. Because Mancozeb is practically insoluble in water, it is unlikely to infiltrate groundwater.

**Breakdown in water:** Mancozeb degrades in water with a half-life of 1 to 2 days in slightly acidic to slightly alkaline conditions.

**Breakdown in vegetation:** When used as directed, Mancozeb is not poisonous to plants.

## Section 13 - Disposal Considerations

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

## SAFETY DATA SHEET

## Section 14 - Transport Information

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**Hazchem Code:** 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

**Packing Group:** III

**Packing Instruction:** P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

## Section 15 - Regulatory Information

**AIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.

The following ingredient: Mancozeb, is mentioned in the SUSMP.

## Section 16 - Other Information

**This SDS contains only safety-related information. For other data see product literature.**

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, September, 2023.

<http://www.kilford.com.au/> Phone (02)8321 8866