



**QUALITY WITHOUT COMPROMISE**

**PRODUCT**GUIDE

# Herbicides

PRODUCT	PACK SIZES	STATEMENT OF CLAIM
<b>Sabakem 2,4-D 625 Selective Herbicide</b> ACTIVE CONSTITUENT: 625g/L 2,4-D present as the DIMETHYLAMINE and DIETHANOLAMINE SALT	5L, 20L, 110L, 1000L	For the control of broadleaf weeds in fallow before direct drilling or sowing of Cereals and Pastures; and in Cereal Crops, Pastures, Sugar Cane, Peanuts and Non-Agricultural Areas as per the Directions For Use.
<b>Sabakem 2,4-D LVE 680 Herbicide</b> ACTIVE CONSTITUENT: 680g/L 2,4-D present as the 2-ETHYLHEXYL ESTER	5L, 20L, 110L, 1000L	A specially formulated Low Volatile Herbicide for the selective control of various weeds in Crops, Pastures and Non-Agricultural Areas as per the Direction For Use.
<b>Sabakem Amitrole 47T Herbicide</b> ACTIVE CONSTITUENT: 250g/L AMITROLE	20L, 110L, 1000L	For the control of weeds In Orchards, Vineyards, Irrigation Ditches and Drains, Eucalyptus and Pine Plantations, Roadsides, Pre-Plant Wheat and Barley, and for General Industrial Situations.
<b>Sabakem Ametryn 800 WG Herbicide</b> ACTIVE CONSTITUENT: 800g/kg AMETRYN	15kg, 20kg	For control of annual grasses and broadleaf weeds In Pineapples, Sugar Cane and in Industrial Situations as specified in the Directions For Use.
<b>Sabakem Atrazine 900 WG Herbicide</b> ACTIVE CONSTITUENT: 900g/kg ATRAZINE	15kg	For the control of annual weeds in Broom Millet, Tt-Canola, Lupins, Maize, Saccaline, Sorghum, Sugarcane, Sweet Corn and other crops as per the Directions For Use.
<b>Sabakem Bentazone 480 SL Post-Emergence Herbicide</b> ACTIVE CONSTITUENT: 480g/L BENTAZONE present as the SODIUM SALT	20L	For selective Post-Emergence control of certain broadleaf weeds In Green (Dwarf French) Beans, Navy (Haricot) Beans, Peanuts, Red Kidney Beans, Red Mexican Beans And Soybeans as per the Directions For Use.
<b>Sabakem Bromoxynil 200 EC Herbicide</b> ACTIVE CONSTITUENT: 200g/L BROMOXYNIL present as the N-OCTANOYL ESTER	20L, 110L, 1000L	For the control of weeds in Wheat, Oats, Barley, Cereal, Rye And Triticale (Alone Or Under sown), Linseed, Clover and Lucerne Pastures, Turf, Fallow, Non-Crop, Roadsides and Rights-Of-Way as per the Directions For Use.
<b>Sabakem Clethodim 240 EC Herbicide</b> ACTIVE CONSTITUENT: 240g/L CLETHODIM	20L, 110L, 1000L	For the control of certain Grass Weeds in Beetroot, Cabbage, Canola, Celery, Chickpeas, Cotton, Faba Beans, Field Peas, Forestry, Lentils, Lettuce, Lupins, Mung Beans, Non-Bearing Fruit Trees, Onions, Ornamentals, Peanuts, Potatoes and Soybeans as per the Directions For Use.
<b>Sabakem Clopyralid 300 SL Selective Herbicide</b> ACTIVE CONSTITUENT: 300g/L CLOPYRALID present as the TRIISOPRO-PANOLAMINE SALT	1L, 5L, 10L, 20L, 100L, 110L	For the control of a wide range of Broadleaf Weeds in Wheat, Barley, Triticale, Oats, Pastures, Canola, Fallow Land, Forests and Industrial Situations as specified in the Direction For Use.
<b>Sabakem Chlorsulfuron 750 WG Selective Herbicide</b> ACTIVE CONSTITUENT: 750g/kg CHLORSULFURON	1kg	A selective herbicide for the control of Annual (Wimmera) Ryegrass and certain Broadleaf Weeds in Wheat, Barley, Oats, Cereal Rye And Triticale as per the Directions For Use.
<b>Sabakem Dicamba 500SL Selective Herbicide</b> ACTIVE CONSTITUENT: 500g/L DICAMBA present as the DIMETHYLAMINE SALT	5L, 20L, 110L	For the control of certain broadleaf weeds in Winter Cereals, Pastures, Conservation Tillage, Sugar Cane, Turf, Rice, Grain Sorghum and Non-Crop Areas as per the Directions For Use.
<b>Sabakem Dicamba M 420SL Selective Herbicide</b> ACTIVE CONSTITUENTS: 340g/L MCPA present as the DIMETHYLAMINE SALT & 80g/L DICAMBA present as the DIMETHYLAMINE SALT	5L, 20L	For the control of certain broadleaf weeds in Winter Cereals, Pastures, Turf and Non-Crop Areas as per the Directions For Use.
<b>Sabakem Diclofop 375 EC Selective Herbicide</b> ACTIVE CONSTITUENT: 375g/L DICLOFOP-METHYL	20L, 110L, 1000L	For the post-emergent control of Annual Ryegrass, Common Barb Grass and Wild Oats in Wheat, Linseed, Peas, Turf and other crops as per the Directions For Use.

PRODUCT	PACK SIZES	STATEMENT OF CLAIM
<b>Sabakem Diuron 900 WG Herbicide</b> ACTIVE CONSTITUENT: 900g/kg DIURON	15kg	For the control of weeds In Asparagus, Bananas, Cereals, Cotton, Lupins, Sugar-cane, as specified in the Directions For Use.
<b>Sabakem Fluometuron 900 WG Selective Herbicide</b> ACTIVE CONSTITUENT: 900g/kg FLUOMETURON	15kg	For Pre- and Post-Emergent control of carious broadleaf weeds and Annual Grasses in Cotton as per the Directions For Use.
<b>Sabakem Fluroxypyr 200 EC Herbicide</b> ACTIVE CONSTITUENT: 200g/L FLUROXYPYR as the METHYL HEPTYL ESTER	20L, 110L, 1000L	For the control of a wide range of broadleaf weeds in Fallow, Lucerne, Maize, Millets, Pastures, Poppies, Sorghum, Sugarcane, Sweetcorn, Winter Cereals. Also for the control of Woody Weeds in Agricultural Non-Crop Areas, Commercial And Industrial Areas, Forests, Pastures and Rights-Of-Way, as specified in the Directions For Use.
<b>Sabakem Fluroxypyr 400EC Herbicide</b> ACTIVE CONSTITUENT: 400g/L FLUROXYPYR present as the METHYL HEPTYL ESTER	5L, 20L	For the control of a wide range of broadleaf weeds in Fallow, Lucerne, Maize, Millets, Pastures, Sorghum, Sugar Cane, Sweet Corn, Winter Cereals. Also for the Control of Woody Weeds in Agricultural Non-Crop Areas, Commercial and Industrial Areas, Pastures and Rights-of-Way as specified in the Directions for Use.
<b>Sabakem Glyphosate 450CT Herbicide</b> ACTIVE CONSTITUENT: 450g/L GLYPHOSATE present as the ISOPROPYLAMINE SALT	20L, 110L, 1000L	A Non-Selective Herbicide that will kill most emerged weeds and plants in situations as indicated in the Directions For Use.
<b>Sabakem Glyphosate 550 Twin Salt Herbicide</b> ACTIVE CONSTITUENT: 550g/L GLYPHOSATE present as the POTASSIUM SALT and MONOETHANOLAMINE SALT	20L, 110L, 1000L	Non-Selective Herbicide for the control of many annual and perennial weeds as per the Directions Of Use.
<b>Sabakem Glufosinate 400 Herbicide</b> ACTIVE CONSTITUENT: 400g/L GLUFOSINATE-AMMONIUM	5L, 20L	For the Non-Residual control of broadleaf and grass weeds in various situations as indicated in the Directions for Use.
<b>Sabakem Haloxyfop 520 EC Herbicide</b> ACTIVE CONSTITUENT: 520g/L HALOXYFOP present as HALOXYFOP-P METHYL ESTER	5L, 20L	For the Post-Emergent control of a wide range of annual and perennial grass weeds in Grain Legume and Oilseed Crops, Lucerne, Medic and Clover Pasture and Seed Crops, Forestry, Bananas, Citrus, Grapes, Pineapples, Pome and Stone Fruit, Pyrethrum, Tropical Fruit and Nut Crops as specified in the Direction For Use.
<b>Sabakem Imazapic 240 SL Herbicide</b> ACTIVE CONSTITUENT: 240g/L IMAZAPIC present as the AMMONIUM SALT	5L, 20L	For the Pre-Emergence control of certain annual grass and broadleaf weeds in Fallow Situations, Sugarcane and Peanuts and Early Post-Emergence control of certain Annual Grass and Broadleaf Weed in Peanuts and Sugarcane as specified in the Directions For Use.
<b>Sabakem Isoxaflutole 750 WG Herbicide</b> ACTIVE CONSTITUENT: 750g/kg ISOXAFLUTOLE	5kg	For the control and suppression of various broadleaf weeds and grasses in Sugarcane and Chickpeas as specified in the Directions For Use.
<b>Sabakem MCPA LVE 570 Herbicide</b> ACTIVE CONSTITUENT: 570g/L MCPA present as the 2-ETHYL HEXYL ESTER	20L, 110L, 1000L	For selective control of certain weeds in agricultural crops as listed in the Directions For Use.
<b>Sabakem MCPA 500 Selective Herbicide</b> ACTIVE CONSTITUENT: 500g/L MCPA present as the DIMETHYLAMINE SALT	20L, 110L, 1000L	Controls broadleaf weeds & thistles in Cereals, Rice, Linseed, Oil Seed Poppy, Sugar Cane, Turf, Peas, Flax, Grass & Sub Clover Pastures and Seed Crops as per the Directions For Use.
<b>Sabakem Metribuzin 750 WG Herbicide</b> ACTIVE CONSTITUENT: 750g/kg METRIBUZIN	10kg	For selective weed control in Cereals, Pastures and other crops, including Vegetables as indicated in the Directions For Use.
<b>Sabakem Metsulfuron 600 WG Herbicide</b> ACTIVE CONSTITUENT: 600g/kg METSULFURON-METHYL	1kg	For the control of brush and broadleaf weeds in Native Pastures, Rights-of-Way, Commercial and Industrial Areas and for the control of certain broadleaf weeds in Winter Cereal Crops as per the Directions For Use.

PRODUCT	PACK SIZES	STATEMENT OF CLAIM
<b>Sabakem Oxyfluorfen 240 EC Herbicide</b> ACTIVE CONSTITUENT: 240g/kg OXYFLUORFEN	5L, 20L, 110L	For the selective control of certain broadleaf and grass weeds as per the Directions For Use.
<b>Sabakem Paraquat 250 SL Herbicide</b> ACTIVE CONSTITUENT: 250g/L PARAQUAT present as PARAQUAT DICHLORIDE	20L, 110L, 1000L	For the control of a wide range of grasses and broadleaf weeds as per the Directions For Use.
<b>Sabakem Pendimethalin 330 EC Herbicide</b> ACTIVE CONSTITUENT: 330g/L PENDIMETHALIN	20L, 110L, 1000L	For the control of Annual Ryegrass and Wireweed in Wheat, Barley and Peas and Annual Grasses and certain broadleaf weeds in various crops as per the Directions For Use.
<b>Sabakem Prazon 400EC Selective Herbicide</b> ACTIVE CONSTITUENTS: 300g/L TRICLOPYR present as the BUTOXYETHYL ESTER & 100g/L PICLORAM present as HEXYLOXY-PROPYLAMINE SALT	5L, 20L	For control of a range of environmental and noxious woody and herbaceous weeds as specified in the Directions For Use.
<b>Sabakem Prometryn 900 WG Herbicide</b> ACTIVE CONSTITUENT: 900g/kg PROMETRYN	15kg	For the control of early competing weeds in Carrots, Chickpeas, Cotton, Potatoes and other crops as per the Directions For Use.
<b>Sabakem Propyzamide 500 SC Herbicide</b> ACTIVE CONSTITUENT: 500g/L PROPYZAMIDE	5L, 10L, 20L	For selective control of certain grasses and broadleaf weeds in Lettuce, Sports Turf, Home Lawns and Legume Seed Crops and Pastures, as per the Directions For Use.
<b>Sabakem Quizalofop 200 EC Selective Herbicide</b> ACTIVE CONSTITUENT: 200g/L QUIZALOPFOP-P-ETHYL	5L, 20L, 110L	For the control of certain grass weeds in broadleaf crops as per Directions For Use.
<b>Sabakem Reckon-B 275 EC Herbicide</b> ACTIVE CONSTITUENTS: 250g/L BROMOXYNIL present as the OCTANOATE & 25g/L DIFLUFENICAN	20L, 110L, 1000L	For the control of certain broadleaf weeds in Winter Cereals and Pasture as specified in the Directions For Use.
<b>Sabakem Reckon-M 275 EC Selective Herbicide</b> ACTIVE CONSTITUENTS: 250g/L MCPA present as the ETHYL HEXYL ESTER & 25g/L DIFLUFENICAN	20L, 110L, 1000L	For the control of certain broadleaf weeds in Winter Cereals and Clover as specified In Directions For Use.
<b>Sabakem Simazine 900 WDG Herbicide</b> ACTIVE CONSTITUENT: 900g/kg SIMAZINE	15kg	For the control of weeds in Almonds, Asparagus, Berry fruit, Chickpeas, Citrus, Faba beans, Gladioli, Hops, Lupins, Pome fruit, Roses, Vineyards, TT-canola and other crops as specified In Directions For Use.
<b>Sabakem S-Metolachlor 960 EC Selective Herbicide</b> ACTIVE CONSTITUENT: 960g/L S-METOLACHLOR	20L, 110L, 1000L	Controls certain annual grasses and broadleaf weeds in certain crops as specified in the Directions For Use.
<b>Sabakem Tralkoxydim 400 WG Herbicide</b> ACTIVE CONSTITUENT: 400g/kg TRALKOXYDIM	5kg, 50kg	For the control of Wild Oats and Annual Ryegrass and suppression of Annual Phalaris in Wheat, Barley, Rye And Triticale as specified in the Directions For Use.
<b>Sabakem Triallate 500 EC Herbicide</b> ACTIVE CONSTITUENT: 500g/L TRIALLATE	20L, 110L, 1000L	For the control of Wild Oats in Wheat, Triticale, Chickpeas, Barley, Peas, Linseed, Lupins, Canola (Rapeseed), Faba Beans And Safflower as Directions For Use.
<b>Sabakem Triclopyr 600 EC Herbicide</b> ACTIVE CONSTITUENT: 600g/L TRICLOPYR present as the BUTOXYETHYL ESTER	20L, 110L, 1000L	For the control of various woody and broadleaf weeds as specified in the Directions For Use.
<b>Sabakem Trifluralin 480 EC Selective Herbicide</b> ACTIVE CONSTITUENT: 480g/L TRIFLURALIN	20L, 110L, 1000L	A Pre-Emergence Herbicide for the control of annual grasses and broadleaf weeds in Horticultural and Agricultural Crops as per the Directions For Use.

# Insecticides

PRODUCT	PACK SIZES	STATEMENT OF CLAIM
<b>Sabakem Imidacloprid 350 SC</b> <b>Soil Insecticide</b> ACTIVE CONSTITUENT: 350g/L IMIDACLOPRID	10L, 20L	A soil applied treatment for the control of Greyback and Childers Canegrub in Sugarcane and Silverleaf Whitefly in various Vegetable Crops as specified in the Directions For Use.
<b>Sabakem Imidacloprid 600</b> <b>FS Seed Treatment Insecticide</b> ACTIVE CONSTITUENT: 600g/L IMIDACLOPRID	10L, 20L	For the control of various insect pests in a range of crops and the protection of spread of Barley Yellow Dwarf Virus in Cereal Crops, as specified in the Directions For Use.
<b>Sabakem Chlorpyrifos 500 EC Insecticide</b> ACTIVE CONSTITUENT: 500g/L CHLORPYRIFOS	20L, 110L, 1000L	For the control of a wide range of insect pests on fruit, vegetables, oilseeds, cotton, cereals, pasture, turf and other situations as specified in the Directions For Use.
<b>Sabakem Alpha-Cypermethrin</b> <b>100 EC Insecticide</b> ACTIVE CONSTITUENT: 100g/L ALPHA-CYPERMETHRIN	20L, 110L	For the control of insect pests including Heliothis ( <i>Helicoverpa</i> spp.) on various crops and Red Legged Earth Mite and Blue Oat Mite on certain Field Crops and Pastures and certain pests on Fruit and Vegetable Crops as specified in the Directions For Use.
<b>Sabakem Propargite 600 EC Miticide</b> ACTIVE CONSTITUENT: 600g/L PROPARGITE	20L, 110L, 200L, 1000L, Bulk	For the control of Cotton Mites ( <i>Tetranychus</i> spp.) in Cottons specified in the Directions For Use.
<b>Sabakem Hexythiazox 100 EC Miticide</b> ACTIVE CONSTITUENT: 100g/L HEXYTHIAZOX	5L, 20L	For the control of Two-spotted Mite ( <i>Tetranychus Urticae</i> ) and European Red Mite ( <i>Panonychus Ulm</i> ) on Apples, Pears, Stone Fruit and Ornamentals and for the control of Two-spotted Mite on Strawberries as specified in the Directions For Use.
<b>Sabakem Bifenthrin 100EC</b> <b>Insecticide/Miticide</b> ACTIVE CONSTITUENT: 100g/L BIFENTHRIN	5L, 20L	For the control of <i>Helicoverpa</i> spp. in Cotton, Tomatoes, Lucerne Seed Crops, Navy Beans; Certain species of Mites in Bananas, Cotton and Tomatoes; Longtailed Mealy Bug in Pears; Banana Weevil Borer and Banana Rust Thrips in Bananas; Mirids in Cotton; Whitefly in Tomatoes; Redlegged Earth Mite, Blue Oat Mite, Bryobia Mite, Webworm and Brown Pasture Looper in Faba Beans, Subterranean Clover, Clover, Canola, Wheat, Barley, Field Peas, Lupins And Lucerne; And certain species of Wireworms in Cotton and Sugarcane; Fig Longicorn in Grapes and Citrus Leaf-eating Weevil in Citrus as per the Directions For Use.
<b>Sabakem Lambda 250CS Insecticide</b> ACTIVE CONSTITUENT: 250g/L LAMBDA CYHALOTHRIN	1L, 5L, 20L, 110L, 200L	For the control of certain insect Pests in Cotton, Barley, Wheat and various Field Crops as per the Directions For Use.
<b>Sabakem Fenamiphos 400EC</b> <b>Nematicide and Insecticide</b> 400g/L FENAMIPHOS	1L, 5L, 20L	For control of Nematodes on Aloe Vera Planting Material and Banana Planting Material as specified in the Directions For Use.
<b>Sabakem Indoxacarb 150EC Insecticide</b> ACTIVE CONSTITUENT: 150g/L S-INDOXACARB	10L	For the control of various species of insect pests in Azuki beans, Chickpeas, Cotton, Faba beans, Mung Beans and Soybeans as per the Directions of Use.

# Fungicides

PRODUCT	PACK SIZES	STATEMENT OF CLAIM
<b>Sabakem Captan 800 WG Fungicide</b> ACTIVE CONSTITUENT: 800g/kg CAPTAN	10kg	For the control of certain diseases in a range of Fruit Crops, Turf and Ornamentals as specified in the Directions For Use.
<b>Sabakem Chlorothalonil 720 SC Fungicide</b> ACTIVE CONSTITUENT: 720g/L CHLOROTHALONIL	5L, 10L, 20L, 100L	For the control of fungal diseases on Almonds, Bananas, Cucurbits, Grapes, Ornamentals, Peanuts, Stone Fruit, Tobacco and Vegetables as specified in the Directions For Use.
<b>Sabakem Epoxiconazole 125 SC Fungicide</b> ACTIVE CONSTITUENT: 125g/L EPOXICONAZOLE	5L, 10L, 20L	For the control of Leaf Rust, Stripe Rust and Septoria Nodorum Blotch of Wheat and Leaf Rust of Barley, as specified in the Directions For Use.
<b>Sabakem Flutriafol 250 SC Fungicide</b> ACTIVE CONSTITUENT: 250g/L FLUTRIAFOL	20L, 110L, 1000L	For the control of certain fungal diseases on Wheat, Barley and Canola when mixed with fertiliser or applied as a foliar spray as per the Directions For Use.
<b>Sabakem Mancozeb 750 WG Fungicide</b> ACTIVE CONSTITUENT: 750g/kg MANCOZEB	10kg, 20kg, 25kg	For the control of certain fungus diseases of Fruit, Field Crops, Tobacco, Turf, Vegetables and Ornamentals as per the Directions For Use.
<b>Sabakem Propiconazole 250 EC Fungicide</b> ACTIVE CONSTITUENT: 250g/L PROPICONAZOLE	20L, 110L	For the control of certain fungal diseases of Bananas, Oats, Peanuts, Perennial Ryegrass, Pineapples, Stone Fruit, Sugar Cane, Wheat and other Crops as specified in the Directions For Use.
<b>Sabakem Tebuconazole 430 SC Fungicide</b> ACTIVE CONSTITUENT: 430g/L TEBUCONAZOLE	20L, 110L	For the control of Leaf Spot and Leaf Speckle on Bananas, Rust, Leaf Spot and Net Blotch of Peanuts; Foliar Disease on Cereal Crops; and other Disease on Beans, Peas, Onions, Pawpaw, Pyrethrum and Ryegrass and Fescue Seed Crops as specified in the Directions For Use.
<b>Sabakem Thiram 600 SC Fungicide</b> ACTIVE CONSTITUENT: 600g/L THIRAM	20L	For use as a seed treatment to control various fungal disease of seeds and as a drench to control fungal diseases of turf as specified in the Directions For Use.



**Sabakem Pty Ltd** ABN 34 151 682 138

Suite 809, Level 8, 2 Queen Street, Melbourne VIC 3000

Tel: 03 9629 3979 • Fax: 1300 242 436

[www.sabakem.com](http://www.sabakem.com) | [orders@sabakem.com](mailto:orders@sabakem.com)

**Labels & SDS Sheets available – [www.sabakem.com](http://www.sabakem.com)**

The Sabakem product guide reflects the products registered with the APVMA. Not all products or pack sizes listed may be available for sale ex Sabakem Warehouses. Please confirm with your Regional Manager.